

**WHAT IS CLAIMED IS:**

1. A device for eliminating poisons and pollutants from the human body and for revitalizing cells, the device comprising:

an upper cover being adjustable in temperature and forming a first five-primary substance stone coating layer therein;

a lower mat being adjustable in temperature and forming vibrators and a second five-primary substance stone coating layer therein, the upper cover and the lower mat defining an interior space;

at least one herb essence supplier connected to the interior space formed by the upper cover and the lower mat, the herb essence supplier having a discharge outlet connected to the interior space; and

an air pump connected to the herb essence supplier for supplying air.

2. The device of claim 1, wherein the herb essence supplier comprises a heat type herb essence supplier for evaporating herb essence by an electrical resistive wire to thereby supply the evaporated herb essence.

3. The device of claim 1, wherein the herb essence supplier comprises a vibration type herb essence supplier for emitting the herb essence by vibrating herb contained therein.

4. The device of claim 1, wherein the herb essence supplier comprises a combustion type herb essence supplier for burning herb contained therein to supply the perfume therefrom.

5. The device of claim 1, further comprising a plurality of herb essence suppliers connected in parallel.

6. The device of claim 4, wherein the combustion type herb essence supplier burns the herb by using either a resistive wiring or a heating ignition hole connected to an electrical source.

7. The device of claim 1, wherein the first five-primary substance stone is a mixture of powders of about 10% to 20% by weight of a fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.

8. The device of claim 1, wherein the second five-primary substance stone is a mixture of powders of about 10% to 20% by weight of a fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.

9. The device of claim 1, further comprising an attachment device connected to the discharge outlet of the herb essence supplier, the attachment device having a five primary substance stone at least partially coated on a bottom surface thereof.

10. The device of claim 1, wherein the air pump provides negatively ionized air.

11. A device for providing therapeutic healing to a body, the device comprising:  
a lower mat;  
an upper cover coupled to the lower mat to defining an interior space for placing the body therein;  
at least one herb essence supplier having an inlet and an outlet, the outlet in gaseous communication with the interior space to provide herb essence to the interior space; and  
an air pump connected to the inlet of the herb essence supplier for supplying air to the interior space.

12. The device of claim 11, wherein the lower mat includes a plurality of protrusions for stimulating acupuncture points of the body.

13. The device of claim 12, wherein the plurality of protrusions are coated with five-primary substance stone comprising a mixture of powders of about 10% to 20% by weight of a

fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.

14. The device of claim 11, wherein the upper cover is coated with five-primary substance stone comprising a mixture of powders of about 10% to 20% by weight of a fulcrum stone, about 10% to 20% by weight of mastodon bones, about 30% to 40% by weight of an elvan, about 10% to 20% by weight of mica, and about 10% to 20% by weight of a loadstone.

15. The device of claim 11, wherein the herb essence supplier comprises a heat type herb essence supplier for evaporating herb essence by an electrical resistive wire to thereby supply the evaporated herb essence.

16. The device of claim 11, wherein the herb essence supplier comprises a vibration type herb essence supplier for emitting the herb essence by vibrating herb contained therein.

17. The device of claim 11, wherein the herb essence supplier comprises a combustion type herb essence supplier for burning herb contained therein to supply the perfume therefrom.

18. The device of claim 11, further comprising a plurality of herb essence suppliers connected in parallel.

19. The device of claim 17, wherein the combustion type herb essence supplier burns the herb by using either a resistive wiring or a heating ignition hole connected to an electrical source.

20. The device of claim 11, wherein the air pump provides negatively ionized air.